







TOYOTA HILUX D4D 2.8Lt 2015-CURRENT

OIL CATCH CAN

OCC-B-THD4D-4



WWW.HPDIESEL.COM.AU



WWW.HPDIESEL.COM.AU



HPD OIL AIR SEPERATOR/CATCH CAN



- The HPD oil air separator has been designed to remove oil mist from the rocker cover and going into the intake of the turbo. This oil can build up in the intercooler and piping causing inefficiency and eventually destroying silicone hoses. It also eliminates build-up of carbon from EGR and oil forming a black paste which clogs inlet manifolds and inlet ports. The HPD oil air separator has some unique features here are some of them.
- Internal stainless mesh filters that can be removed for cleaning.
- Dip stick to check oil level.
- Stainless steel mounting bracket and 4 bolts with 5 positions available.
- Simply unscrew base to empty oil.
- Variety of hose sizes available 10, 12,16,19,25.
- 360° swivel top inlet/outlet with #8 O-ring port thread allows hose to rotate to any position
- Side inlet/outlet with #8 O-ring port thread
- Vehicle specific kits including hoses clamps and mounting brackets.



TOYOTA HILUX D4D 2.8Lt 2015-CURRENT

OCC-B-THD4D-4



<u>QUANTITY</u>	<u>PART</u>	<u>DESCRIPTION</u>	<u>PACKED</u>
1	OCC-B	BILLET CATCH CAN	
1	OCC-B1	UNIVERSAL BRACKET FOLDED 90°	
1	OCC-MB-THD4D-4	HILUX D4D MOUNTING BRACKET 2 X PIECES	
4	6X12MG304BSS	M6X12 BUTTON HEAD SCREWS	
6	6X20M88ZPB	M6X20 BOLT	
6	6MZPW	M6 FLAT WASHER	
6	6X2.5X2MSW	M6 SPRING WASHER	
4	6M8ZPN	M6 NUTS	
1	HTT-8J19	Ø19 HOSE TAIL #8 ORING	
1	HTT-8J16	Ø16 HOSE TAIL #8 ORING	
2	FBS-24/12	SPRING CLAMP TO SUIT Ø16 HOSE	
2	FBS-27/12	SPRING CLAMP TO SUIT Ø19 HOSE	
0.31M	RH-19	Ø19 RUBBER HOSE	
0.49M	RH-16	Ø16 RUBBER HOSE	

WWW.HPDIESEL.COM.AU